


RECEIVED
MAY 21 2008
INDUSTRIAL DEPT

NEW CUSTOMER ID/OUTLET ID: 27200053-1

VOL DISCHARGED THIS PERIOD
108,461 GALS
CU. FT X 7.48 = GALLONS
EFFLUENT METER READING LAST DAY THIS PERIOD

[illegible]

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	DAN PATEL	973-523-2220
	PLANT MANAGER	
		DATE: 5/6/2008

PVSC FORM MR-2 REV.3 6/93


MAY 21 2008

NEW CUSTOMER ID/OUTLET ID: 27200053-2

VOL DISCHARGED THIS PERIOD	
3,478	GALS
CU. FT X 7.48 = GALLONS	
EFFLUENT METER READING LAST DAY THIS PERIOD	

[illegible][illegible]

and all attachments were prepared under my direction.

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
	DAN PATEL	973-523-2220
	PLANT MANAGER	
		DATE: 5/6/2008

ANDARN ELECTRO SERVICE CORPORATION - USER CHARGE - APRIL 2008**READINGS OF CITY METER (TOTAL FLOW)**

761,065	Present Meter Reading
-754,672	Past Meter Reading
6,393	Cubic feet
x7.48	
47,820	Gallons
+70,010	Gallons
117,830	Gallons
x .95	(5% Evaporation)
111,939	Total gallons of water used this month

WELL METER (PROCESS)

1824360	Present Meter Reading
-1754350	Past Meter Reading
70,010	Gallons

INTERNAL WATER METER (SANITARY FLOW)

217,234	Present Meter Reading
-216,769	Past Meter Reading
465	Cubic Feet
x 7.48	
3,478	Gallons = Total Sanitary Flow (27200053-2)

INDUSTRIAL FLOW

111,939	Total flow of City Meter
-3,478	Sanitary Flow
108,461	Gallons = Industrial Flow (27200053-1).



ANALYTICAL DATA REPORT

for

Andarn Electro-Service
72 Michigan Ave
Paterson, NJ 07503

Project Name: PVSC MONITORING
Lab Case Number: E08-03585

MDL = METHOD DETECTION LIMIT

< = LESS THAN THE MDL

General Analytical

Lab ID: 03585-001
Client ID: 01
Percent Moisture: 100

Date Sampled: 4/1/2008
Time Sampled: 10:00

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Cyanide, Amenable	< 0.020	0.020	Aqueous-mg/L	4/14/2008 14:56

Metals

Lab ID: 03585-002
Client ID: 02
Matrix-Units: Aqueous-mg/L
Percent Moisture: 100

Date Sampled: 4/1/2008
Time Sampled: 16:00
Date Analyzed: 4/8/08

Parameter	Result	Q	MDL
Cadmium	< 0.001		0.001
Copper	0.619		0.008
Lead	0.021		0.002
Nickel	0.895		0.004
Zinc	0.147		0.008


General Analytical

Lab ID: 03585-002
Client ID: 02
Percent Moisture: 100

Date Sampled: 4/1/2008
Time Sampled: 16:00

Parameter	Result	MDL	Matrix-Units	Date Analyzed
Biochemical Oxygen Demand	10.0	2.00	Aqueous-mg/L	4/2/2008 15:00
Total Suspended Solids	470	62.5	Aqueous-mg/L	4/4/2008 12:00

These data have been reviewed and accepted by:


Michael H. Leftin, Ph.D.
Laboratory Director

273 Franklin Road
Randolph, NJ 07869
Phone: 973 361 4252
Fax: 973 989 5288



IAL is a NELAC New Jersey Certified Lab (14751) and maintains certification in Connecticut (PH-0699), New York (11402), Rhode Island (00126), Pennsylvania (08-00773) and in the Department of Navy IR QA Program

CUSTOMER INFO

Company: ANDARN ELECTRO SERVICE
Address: 72 MICHIGAN AVE.,
PATERSON, NJ 07503
Telephone #:
Fax #:
Project Manager:
Sampler: ANDARN PERSONNEL
Project Name: PVSC MONITORING
Project Location (State):
Bottle Order #:
Quote #:

REPORTING INFO

REPORT TO:	ENVIRO-COMP, INC
Address:	PO BOX 3457
	WAYNE, NJ 07474
Attn:	JOHN SABO
FAX #	973-633-7643
INVOICE TO:	ENVIRO-COMP
Address:	PO BOX 3457
	WAYNE, NJ 07474
Attn:	JOHN SABO
PO #	

SAMPLE INFORMATION

[illegible]

Sample Matrix

DW - Drinking Water AQ - Aqueous WW - Waste Water
OI - Oil LIQ - Liquid (Specify) OT - Other (Specify)
S - Soil SL - Sludge SOL - Solid W - Wipe

ANALYTICAL PARAMETERS

Cooler Temp	# BOTTLES & PRESERVATIVES	HCl	NaOH	HNO ₃	H ₂ SO ₄	MeOH	Other	None
			1	1				1

	Known Hazard:	Yes or No	Describe:
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			
31.			
32.			
33.			
34.			
35.			
36.			
37.			
38.			
39.			
40.			
41.			
42.			
43.			
44.			
45.			
46.			
47.			
48.			
49.			
50.			
51.			
52.			
53.			
54.			
55.			
56.			
57.			
58.			
59.			
60.			
61.			
62.			
63.			
64.			
65.			
66.			
67.			
68.			
69.			
70.			
71.			
72.			
73.			
74.			
75.			
76.			
77.			
78.			
79.			
80.			
81.			
82.			
83.			
84.			
85.			
86.			
87.			
88.			
89.			
90.			
91.			
92.			
93.			
94.			
95.			
96.			
97.			
98.			
99.			
100.			

Known Hazard:	Yes	No	Describe:	Conc. Exp.
Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any				
Please print legibly and fill out completely. Samples cannot be processed and the turnaround time will not start until any				

	Conc.	Expected:	Low	Med	High
1	0.000	0.000	0.000	0.000	0.000
2	0.000	0.000	0.000	0.000	0.000
3	0.000	0.000	0.000	0.000	0.000
4	0.000	0.000	0.000	0.000	0.000
5	0.000	0.000	0.000	0.000	0.000
6	0.000	0.000	0.000	0.000	0.000
7	0.000	0.000	0.000	0.000	0.000
8	0.000	0.000	0.000	0.000	0.000
9	0.000	0.000	0.000	0.000	0.000
10	0.000	0.000	0.000	0.000	0.000
11	0.000	0.000	0.000	0.000	0.000
12	0.000	0.000	0.000	0.000	0.000
13	0.000	0.000	0.000	0.000	0.000
14	0.000	0.000	0.000	0.000	0.000
15	0.000	0.000	0.000	0.000	0.000
16	0.000	0.000	0.000	0.000	0.000
17	0.000	0.000	0.000	0.000	0.000
18	0.000	0.000	0.000	0.000	0.000
19	0.000	0.000	0.000	0.000	0.000
20	0.000	0.000	0.000	0.000	0.000
21	0.000	0.000	0.000	0.000	0.000
22	0.000	0.000	0.000	0.000	0.000
23	0.000	0.000	0.000	0.000	0.000
24	0.000	0.000	0.000	0.000	0.000
25	0.000	0.000	0.000	0.000	0.000
26	0.000	0.000	0.000	0.000	0.000
27	0.000	0.000	0.000	0.000	0.000
28	0.000	0.000	0.000	0.000	0.000
29	0.000	0.000	0.000	0.000	0.000
30	0.000	0.000	0.000	0.000	0.000
31	0.000	0.000	0.000	0.000	0.000
32	0.000	0.000	0.000	0.000	0.000
33	0.000	0.000	0.000	0.000	0.000
34	0.000	0.000	0.000	0.000	0.000
35	0.000	0.000	0.000	0.000	0.000
36	0.000	0.000	0.000	0.000	0.000
37	0.000	0.000	0.000	0.000	0.000
38	0.000	0.000	0.000	0.000	0.000
39	0.000	0.000	0.000	0.000	0.000
40	0.000	0.000	0.000	0.000	0.000
41	0.000	0.000	0.000	0.000	0.000
42	0.000	0.000	0.000	0.000	0.000
43	0.000	0.000	0.000	0.000	0.000
44	0.000	0.000	0.000	0.000	0.000
45	0.000	0.000	0.000	0.000	0.000
46	0.000	0.000	0.000	0.000	0.000
47	0.000	0.000	0.000	0.000	0.000
48	0.000	0.000	0.000	0.000	0.000
49	0.000	0.000	0.000	0.000	0.000
50	0.000	0.000	0.000	0.000	0.000
51	0.000	0.000	0.000	0.000	0.000
52	0.000	0.000	0.000	0.000	0.000
53	0.000	0.000	0.000	0.000	0.000
54	0.000	0.000	0.000	0.000	0.000
55	0.000	0.000	0.000	0.000	0.000
56	0.000	0.000	0.000	0.000	0.000
57	0.000	0.000	0.000	0.000	0.000
58	0.000	0.000	0.000	0.000	




MDL Req: GWQS - SCC - OTHER (SEE COMMENTS)

ambiguities have been resolved.

Signature/Company

Relinquished by: Carol G. Tabor
Relinquished by: [Signature]

Signature/Company

Signature/Company		Date	Time	Signature/Company
Relinquished by:	Carol B. Neale	4-2-08	8:45	Received by: 
Relinquished by:		4/2/08		Received by: 
Relinquished by:				Received by:
Relinquished by:				Received by:
Relinquished by:				Received by:

Lab Case #

PAGE:

LAB COPIES - WHITE & YELLOW; CLIENT COPY - PINK

01/2005

PROJECT INFORMATION

Case No. **E08-03585**Project **PVSC MONITORING**

Customer Andarn Electro-Service		P.O. #
Contact John Sabo		Received 4/2/2008 14:00
E-Mail ENVIRO43@aol.com	<input type="checkbox"/> EMail EDDs	Verbal Due 4/16/2008
Phone	Fax (973) 633-7643	Report Due 4/23/2008
<u>Report To</u>		<u>Bill To</u>
72 Michigan Ave		Enviro-Comp
Paterson, NJ 07503		P.O. Box 3457
Attn: John Sabo		Wayne, NJ 07474-3457
Attn: John Sabo		Attn: John Sabo
Report Format Result Only		
Additional Info <input type="checkbox"/> State Form <input type="checkbox"/> Field Sampling <input type="checkbox"/> Conditional VOA		

Lab ID	Client Sample ID	Depth Top / Bottom	Sampling Time	Matrix	Unit	# of Containers
03585-001	01	n/a	4/1/2008@10:00	Aqueous	ug/L	1
03585-002	02	n/a	4/1/2008@16:00	Aqueous	ug/L	2

Sample #	Tests	Status	QA Method
001	Cyanide, Amenable	Run	4500CN C
002	Cadmium - Cd	Run	200.8
"	Copper - Cu	Run	200.8
"	Lead - Pb	Run	200.8
"	Nickel - Ni	Run	200.8
"	Zinc - Zn	Run	200.8
"	BOD	Run	5210B
"	TSS (Suspended)	Run	2540D

INTEGRATED ANALYTICAL LABORATORIES, LLC

SAMPLE RECEIPT VERIFICATION

CASE NO: E 08

03585

CLIENT:

RCL

COOLER TEMPERATURE: 2° - 6°C: ☒ (See Chain of Custody)

Comments

COC: COMPLETE / INCOMPLETE

KEY

☒ = YES/NA
☒ = NO

- ☒ Bottles Intact
- ☒ no-Missing Bottles
- ☒ no-Extra Bottles

- ☒ Sufficient Sample Volume
- ☒ no-headspace/bubbles in VOs
- ☒ Labels intact/correct
- ☒ pH Check (exclude VOs)¹
- ☒ Correct bottles/preservative
- ☒ Sufficient Holding/Prep Time¹

☐ Sample to be Subcontracted

¹ All samples with "Analyze Immediately" holding times will be analyzed by this laboratory past the holding time. This includes but is not limited to the following tests: pH, Temperature, Free Residual Chlorine, Total Residual Chlorine, Dissolved Oxygen, Sulfite.

ADDITIONAL COMMENTS:

SAMPLE(S) VERIFIED BY:

INITIAL

R

DATE

4/2/05

CORRECTIVE ACTION REQUIRED:

YES

☐

(SEE BELOW)

NO

☐

CLIENT NOTIFIED:

YES

☐

Date/ Time:

NO

☐

PROJECT CONTACT:

SUBCONTRACTED LAB:

DATE SHIPPED:

ADDITIONAL COMMENTS:

VERIFIED/TAKEN BY:

INITIAL

ES

DATE

4/2

REV 02/05

Laboratory Custody Chronicle

IAL Case No.

E08-03585

Client Andam Electro-ServiceProject PVSC MONITORINGReceived On 4/ 2/2008@14:00**Department: Metals**

			<u>Prep. Date</u>	<u>Analyst</u>	<u>Analysis Date</u>	<u>Analyst</u>
Cadmium - Cd	03585-002	Aqueous	4/ 8/08	Lisa	4/ 8/08	Helge
Copper - Cu	-002	Aqueous	4/ 8/08	Lisa	4/ 8/08	Helge
Lead - Pb	-002	Aqueous	4/ 8/08	Lisa	4/ 8/08	Helge
Nickel - Ni	-002	Aqueous	4/ 8/08	Lisa	4/ 8/08	Helge
Zinc - Zn	-002	Aqueous	4/ 8/08	Lisa	4/ 8/08	Helge

Department: Wet Chemistry

			<u>Prep. Date</u>	<u>Analyst</u>	<u>Analysis Date</u>	<u>Analyst</u>
BOD	-002	Aqueous	n/a	n/a	4/ 2/08@15:00	Kris
Cyanide, Amenable	-001	Aqueous	n/a	n/a	4/14/08	Robert
TSS (Suspended)	-002	Aqueous	n/a	n/a	4/ 4/08	Kam

Review and Approval:

